

World of SPC & DRYBACK

by **CHECK** ✓

VINYLFLOORING



TABLE OF CONTENTS

World of SPC / Dryback – introduction	4
VILLAGE COLLECTION	
Village Collection plank	7
Village Collection plank integrated underlay	9
Village Collection plank integrated cork underlay	10
TOWN COLLECTION	
Town Collection plank	13
Town Collection wide plank 229 mm SPC / Dryback	14
Town Collection wide plank 225 mm	16
Town Collection tile	18
Town Collection tile integrated underlay	19
Town Collection tile XL	20
1x4 COLLECTION	
1x4 Collection wide plank SPC / Dryback	23
1x4 Collection herringbone SPC / Dryback	24
EQUIPPED	
Overview accessories	26

NEW WORLDS IN THE AREA OF HEALTHY LIVING VINYL FLOORS

Welcome to a new World of possibilities with our „World of SPC“ and „World of Dryback“ portfolio, opening up new horizons in the field of vinyl flooring. „World of SPC“ and „World of Dryback“ put the world at your feet. „With love from Germany“, the new portfolio offers a wide range of formats and designs fitted via click system and glued, all supplied with a 10-year guarantee.* The three clearly defi-


ned collections of „Village“, „Town“ and „City“ offer a wide range of possibilities from entry level to heavy usage. Each offers something different within classic, wide and tile formats. Timeless and modern decors with 4V-groove options and the innovation of structured surfaces make the „World of SPC“ and „World of Dryback“ portfolio perfect for all your requirements.

WORLD OF SPC

The „World of SPC“ floors, laid using the click system, have a plasticizer-free mineral base and rigid carrier board, which not only offers superb stability, but is also resistant to heat and moisture. These floors are therefore particularly suitable for residential areas subject to heavy use and can be laid up to floor-to-ceiling windows, in conservatories, bathrooms and kitchens. These SPC Vinyl floors are also ideal for renovation and refurbishment work, such as installation over existing sub-floors due to their rigid backing plate and low installation height.

ADVANTAGES „WORLD OF SPC“

- suitable for wet rooms, residential conservatories and floor-to-ceiling windows**
- very hard-wearing
- low construction height
- plasticizer-free carrier board
- increased stability of the click connection
- suitable for underfloor heating*
- easy to clean




WORLD OF DRYBACK

The „World of Dryback“ collection includes water-resistant glued floors, which combine perfectly with hot water underfloor heating systems as the heat is particularly well conducted from the subfloor to the surface thanks to the full surface-wide connection. Due to the strong bond, no additional underlay for impact noise is required to reduce walking noise. In addition, there is nothing to prevent its use up to floor-to-ceiling windows, in residential conservatories, bathrooms and kitchens. Highly resistant and warm, Dryback floors bring such advantages as their low installation height, high load-bearing capacity and long service life as well as being phthalate-free, meaning, you can be safe in the knowledge you are protecting your home and the environment.

ADVANTAGES „WORLD OF DRYBACK“

- suitable for wet rooms, residential conservatories and floor-to-ceiling windows**
- extremely hard-wearing, resilient and durable
- very low construction height
- very easy to clean
- warm to the feet
- noise-free
- phthalate-free
- suitable for underfloor heating*



10 YEARS
GUARANTEE*

* according to guarantee conditions
** according to manufacturer approval

VILLAGE COLLECTION

The "Village Collection" offers a compact range with a 0.2 mm wear layer and utilisation class of 31. The perfect entry level range for light commercial and domestic use laid via the quick fitting click system.

VILLAGE COLLECTION – PLANK

Dimension: 1220 x 180 x 3.2 mm

Panels/Box: 14 panels

sqm/Box: 3.074

kg/Box: approx. 20.59

Box/Pallet: 43

sqm/Pallet:: 132.20

Recommended utilisation class for private/commercial use:



3598 TAMPA OAK

EAN 4250055116461

click system: Loc-Click | accessories colour: 0.2 mm



3598 TAMPA OAK

VILLAGE COLLECTION – PLANK

Dimension: 1220 x 180 x 3.5 mm

Panels/Box: 12 panels


sqm/Box: 2.635

kg/Box: approx. 18.83

Box/Pallet: 48

sqm/Pallet: 126.49

Recommended utilisation class
for private/commercial use:




3539 SURPRISE OAK

EAN 4250055111961

skirting: 2416-L | accessories colour: Grey

click system: Loc-Click | wear layer: 0.2 mm



3540 GILBERT OAK

EAN 4250055111978

skirting: 2036-L | accessories colour: Maple



3540 GILBERT OAK

VILLAGE COLLECTION – PLANK INCL. INTEGRATED UNDERLAY

Dimension: 1220 x 182 x 4.5 mm

Panels/Box: 10 panels

sqm/Box: 2.220

sqm/Box: approx. 15.76

kg/Pallet: 48

sqm/Pallet: 106.579

impact sound
underlay



Recommended utilisation class
for private/commercial use:



3566 SEWARD OAK

EAN 4250055115860

skirting: 8127-L | accessories colour: Silver grey



3567 FERNDALE OAK

EAN 4250055115792

skirting: 2416-L | accessories colour: Grey



3568 GALENA OAK

EAN 4250055115808

skirting: 2002-L | accessories colour: Silver grey

click system: Loc-Click | wear layer: 0.2 mm

VILLAGE COLLECTION – PLANK INCL. INTEGRATED CORK UNDERLAY

Dimension: 1220 x 180 x 4.5 mm

Panels/Box: 12 panels

sqm/Box: 2.635

kg/Box: approx.19,93

Box/Pallet: 40

sqm/Pallet: 105.41

cork impact
sound underlay



Recommended utilisation class
for private/commercial use:



3565 MANCOS OAK

EAN 4250055115877

skirting: 3523-L | accessories colour: Oak



3569 SELIGMAN OAK

EAN 4250055115815

skirting: 8131-L | accessories colour: Walnut



3570 LEAVENWORTH OAK

EAN 4250055115822

skirting: 2002-L | accessories colour: Grey



3570 LEAVENWORTH OAK

TOWN COLLECTION

The „Town Collection“ expands the selection and introduces both wide and tile formats in addition to the classic with quick fitting click system. These three formats in an expanded selection of decors open up a myriad of options and possibilities. Thanks to the 4-5 mm thickness, 0.3 mm wear layer and utilisation class 32 this comprehensive portfolio of products can be laid in areas with average residential or commercial use. To add elegance to any area all boards are also supplied with a 4-sided bevel and 4V-groove. Some of the decors are also available as a dryback version for sticking.

TOWN COLLECTION – PLANK

Dimension: 1220 x 180 x 4 mm

Panels/Box: 10 panels


sqm/Box: 2.196

kg/Box: approx. 17.77

Box/Pallet: 48

sqm/Pallet: 105.41

bevelled
edge



Recommended utilisation class
for private/commercial use:



3504 SAN ANTONIO OAK

EAN 4250055109814

skirting: 3504-L | accessories colour: Maple



3505 SAN DIEGO OAK


EAN 4250055109821

skirting: 6501-L | accessories colour: Maple

click system: Loc-Click | wear layer: 0.3 mm


TOWN COLLECTION – WIDE PLANK SPC

Dimension: 1220 x 229 x 4.0 mm | Panels/Box: 8 panels
 sqm/Box: 2.235 | kg/Box: approx.17.88 | Box/Pallet: 48
 sqm/Pallet: 107.28



TOWN COLLECTION – WIDE PLANK DRYBACK

Dimension: 1219 x 229 x 2.0 mm | Panels/Box: 12 panels
 sqm/Box: 4.181 | kg/Box: approx. 15.47 | Box/Pallet: 48
 sqm/Pallet: 200.67



AKRON OAK

3535 EAN 4250055110810 (CLICK)
3535E EAN 4250055116362 (BONDING)
 skirting: 2045-L | accessories colour: Maple



AMARILLO OAK

3536 EAN 4250055110827 (CLICK)
3536E EAN 4250055116379 (BONDING)
 skirting: 2075-L | accessories colour: Maple



AURORA OAK

3537 EAN 4250055110834 (CLICK)
3537E EAN 4250055116386 (BONDING)
 skirting: 3073-L | accessories colour: Maple



ALLEN OAK

3541 EAN 4250055119165 (CLICK)
 skirting: 8155-L | accessories colour: Oak

click system: Innovation-Click (SPC), Bonding (Dryback) | wear layer: 0.3 mm



3536 AMARILLO OAK

TOWN COLLECTION – WIDE PLANK

Dimension: 1220 x 225 x 4 mm

Panels/Box: 10 panels


sqm/Box: 2.196

kg/Box: approx. 17.77


Box/Pallet: 48

sqm/Pallet: 105.41

4V groove



wide plank



Recommended utilisation class
for private/commercial use:



3507 SAN JOSE OAK

EAN 4250055109845

skirting: 3507-L | accessories colour: Maple



3508 AUSTIN OAK

EAN 4250055109852

skirting: 8161-L | accessories colour: Oak



3507 SAN JOSE OAK

TOWN COLLECTION – TILE

Dimension: 610 x 305 x 4 mm


Panels/Box: 10 panels

sqm/Box: 1.861

kg/Box: approx.15.06

Box/Pallet: 64

sqm/Pallet: 119.072



Recommended utilisation class for private/commercial use:



3511 INDIANAPOLIS SLATE

EAN 4250055109883

skirting: 3511-L | accessories colour: Black

click system: Loc-Click | wear layer: 0.3 mm

3512 SEATTLE CONCRETE

EAN 4250055109890

skirting: 3512-L | accessories colour: Grey

3512 SEATTLE CONCRETE

TOWN COLLECTION – TILE INCL. INTEGRATED UNDERLAY

Dimension: 620 x 310 x 5 mm


Panels/Box: 10 panels

sqm/Box: 1.922

kg/Box: approx.16.61

Box/Pallet: 60

sqm/Pallet: 115.320



Recommended utilisation class for private/commercial use:



3579 BOLDER MARBLE

EAN 4250055115839

skirting: 2124-L | accessories colour: Silver grey

click system: Loc-Click | wear layer: 0.3 mm

3580 NEW HEAVEN MARBLE

EAN 4250055115853

skirting: 2869-L | accessories colour: Black

3580 NEW HEAVEN MARBLE



TOWN COLLECTION – XL tile

Dimension: 830 x 470 x 4 mm

Panels/Box: 6 panels


sqm/Box: 2.341

kg/Box: approx. 20.13


Box/Pallet: 48

sqm/Pallet: 112.349


4V groove



XL tile



Recommended utilisation class
for private/commercial use:



3578 FARGO MARBLE

EAN 4250055115846

skirting: 2143-L | accessories colour: White



3601 OMAHA CONCRETE

EAN 4250055117901



3602 WILTON CONCRETE

EAN 4250055117918




3602 WILTON CONCRETE

1x4 COLLECTION

In the „1x4 Collection“ we present every stunning decor in 4 variations. The portfolio combines both SPC vinyl and Dryback options both in luxurious wide plank and classically appointed Herringbone formats. The SPC vinyl variations in click system installation style are available in 4 mm thickness with a 0.5 mm wear layer and utilisation class 41. The Dryback options offer 2.5 mm thickness with 0.5 mm wear layer and utilisation class 41. The finishing touch is a 4V-groove, which is located both lengthwise and widthwise around each board providing a striking but elegant appearance.

1x4 COLLECTION – WIDE PLANK SPC


Dimension: 1220 x 228 x 4 mm | Panels/Box: 8 panels | sqm/Box: 2.225
kg/Box: approx. 17.80 | Box/Pallet: 48 | sqm/Pallet: 106.813



1x4 COLLECTION – WIDE PLANK DRYBACK


Dimension: 1219 x 229 x 2.5 mm | Panels/Box: 16 panels | sqm/Box: 4.466
kg/Box: approx. 20.10 | Box/Pallet: 45 | sqm/Pallet: 200.99

Recommended utilisation class for private/commercial use:



SAN FRANCISCO OAK

3524 EAN 4250055110582 (CLICK)
3524E EAN 4250055110629 (BONDING)
skirting: 2987-L | accessories colour: Maple



NEW ORLEANS OAK

3525 EAN 4250055110599 (CLICK)
3525E EAN 4250055110636 (BONDING)
skirting: 3525-L | accessories colour: Maple



ST. LOUIS OAK

3526 EAN 4250055110605 (CLICK)
3526E EAN 4250055110643 (BONDING)
skirting: 2002-L | accessories colour: Silver grey




SALT LAKE CITY OAK

3527 EAN 4250055110612 (CLICK)
3527E EAN 4250055110650 (BONDING)
skirting: 3527-L | accessories colour: Oak

click system: Loc-Click (SPC), Bonding (Dryback) | wear layer: 0.5 mm

1x4 COLLECTION – HERRINGBONE SPC

Dimension: 550 x 110 x 4 mm | Panels/Box: 26 panels | sqm/Box: 1.573
kg/Box: approx. 12.58 | Box/Pallet: 72 | sqm/Pallet: 113.26



1x4 COLLECTION – HERRINGBONE DRYBACK

Dimension: 600 x 120 x 2.5 mm | Panels/Box: 48 panels | sqm/Box: 3.456
kg/Box: approx. 15.55 | Box/Pallet: 60 | sqm/Pallet: 207.36

Recommended utilisation class
for private/commercial use:



SAN FRANCISCO OAK

3524H EAN 4250055110667 (CLICK)
3524HE EAN 4250055110704 (BONDING)
skirting: 2987-L | accessories colour: Maple



NEW ORLEANS OAK

3525H EAN 4250055110674 (CLICK)
3525HE EAN 4250055110711 (BONDING)
skirting: 3525-L | accessories colour: Maple



ST. LOUIS OAK

3526H EAN 4250055110681 (CLICK)
3526HE EAN 4250055110728 (BONDING)
skirting: 2002-L | accessories colour: Silver grey



SALT LAKE CITY OAK

3527H EAN 4250055110698 (CLICK)
3527HE EAN 4250055110735 (BONDING)
skirting: 3527-L | accessories colour: Oak

click system: Push-Click (SPC), Bonding (Dryback) | wear layer: 0.5 mm



3526H(E) ST. LOUIS OAK

»EQUIPPED«

EQUIPPED is the accessory brand we recommend for our products. You get a trim-coordinated strip for each vinyl floor, which allows you to hide a cable behind it with the option of attaching it to the wall via a clip system.

In addition, unsightly bumps, where two bars mounted side by side meet, can be avoided by using connectors. It is also recommended to install **EQUIPPED** accessories in interior or exterior corners. You save yourself the miter sawing. Rounded off by end caps on protrusions or door frames, the range offers everything needed to complete the installation.

Our Equipped underlay or impact sound insulation also offers a comprehensive and quality range.


All corners, connectors and end caps are available in the following colours:

Maple Beech Oak Grey Walnut Silver grey Black White




In addition to the matching decorative **EQUIPPED** skirtings in 58 mm height and 2,400 mm length, there are other **white skirtings** in the following formats:


VARIOUS WHITE SKIRTING




0032
Quarter stick
Length 2,500 mm
EAN 4250055101740




0034
Skirting white 40 mm
Length 2,600 mm
EAN 4250055116300



0026
Skirting white 40 mm
Length 2,400 mm
EAN 4250055101740




0027
Skirting white 58 mm
Length 2,400 mm
EAN 4250055101405




0035
Skirting white 58 mm
Length 2,400 mm
EAN 4250055116317

2935
Gloss skirting white 58 mm
Length 2,400 mm
EAN 4250055100163


WEIMARER SKIRTINGS




0036
Weimarer skirting 40 mm
Length 2,500 mm
EAN 4250055116331




0037
Weimarer skirting 50 mm
Length 2,500 mm
EAN 4250055116348



0038
Weimarer skirting 58 mm
Length 2,400 mm
EAN 4250055116324




0039
Weimarer skirting 70 mm
Length 2,500 mm
EAN 4250055116355




0030
Weimarer skirting 80 mm
Length 2,500 mm
EAN 4250055101726


BERLINER SKIRTINGS




0040
Berliner skirting 58 mm
Length 2,400 mm
EAN 4250055116447



0029
Berliner skirting 70 mm
Length 2,500 mm
EAN 4250055101719



0041
Berliner skirting 78 mm
Length 2,400 mm
EAN 4250055116454



0031
Berliner skirting 90 mm
Length 2,500 mm
EAN 4250055101733

You can also find our skirtings on check-floors.com.

World of SPC World of DRYBACK

by **CHECK** ✓

Version 2/2023

Our team is here for you.
Send us your requirements and we will solve them.
Our logistics and sales network can handle almost any task.

CHECK is a brand of:

Koczvara Vertriebs-GmbH
Scheuten-Solar-Straße 2
45881 Gelsenkirchen
GERMANY
check-floors.com

Errors and modifications excepted. The colour representation of the decors in this brochure may differ from the original decors.
© Image sources including Koczvara, Adobe Stock