




TO BE ON THE SAFE SIDE check-floors.com



Good Reasons for CHECK —

THE FLOORING WITH CHARACTER.

The CHECK vinyl and design floors prove to be a robust and durable option for creating beautiful and healthy living spaces.

A major advantage of CHECK is its high dimensional stability, which enables installation on existing subfloors, in residential conservatories and by floor-to-ceiling windows. Thanks to harmless plasticizers, our floors also ensure a healthy living environment. Due to the insensitive surface, they are very hard-wearing and easy to clean. With their low construction height of 4.0 mm to 8.0 mm, the CHECK products stand out as optimal renovation floors for every need. The vinyl and design floors can also be installed in bathrooms and kitchens without hesitation, as moisture is guaranteed not to penetrate through the water resistant properties.* The CHECK floors can be installed either by click system or glueing.*









For more information, please visit check-floors.com

* Product specifications observation

*** CHECK green



^{**}Indication of the level of emissions of volatile substances in the ambient air presenting a toxic risk by inhalation on a scale from A+ (very low emission) to C (high emission).

^{**}Information sur le niveau D'émission de substances volatiles dans l'àir intérieur, présentant un risque de toxicité par inhalation sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).

✓ SUITABLE FOR DAMP ROOMS^{*}

CHECK is a real all-rounder that can also be installed in damp rooms, such as the bathroom.

✓ HEAT RESISTANT*

The floors remain dimensionally stable and can therefore be installed in residential conservatories and by floor-to-ceiling windows.

✓ HARD-WEARING.*

The CHECK surfaces can withstand all residential, commercial and industrial use.

✓ AUTHENTIC

The surfaces not only look like real wood or stone, but they also feel like it. It makes the floor a real eye-catcher.

▼ STABLE

Slight unevenness in the subfloor can be compensated for and telegraphing can be avoided, so that installation is even possible on existing tiles.

✓ HEALTHY LIVING

By dispensing with phthalates, and the use of exclusively harmless plasticizers, CHECK ensures healthy living within your own four walls.

* according to manufacturer's approval / product specifications observation



For more quality of living

Whether the children are running around the room or the dog is dashing from one corner to the other — our floor has to meet many demands in everyday life. The CHECK vinyl and design floors make a valuable contribution to this, because they can now also reduce walking noise and are even warmer and easier on the joints than conventional floors.

The new collection from CHECK impresses with a built-in insulation underlay that

reduces impact sound by up to 21 dB. The products thus guarantee a very pleasant walking sensation and, in addition, can be laid even faster and more cost-effectively. The clever product design ensures pleasant foot warmth and is gentle on the joints at the same time. Divided into the different collections Basic, Standard and Premium, the products promise a high quality standard that can withstand the greatest stresses.

OTHER STRONG CHARACTER ADVANTAGES



QUIET

The integrated impact sound underlay ensures optimal room acoustics, minimises walking noise by up to 21 dB and thus contributes to a special walking comfort.



FOOT WARMTH

The clever product design of the CHECK-floors ensures a pleasant warmth and makes the floor even more comfortable.



PROTECTS JOINTS

The design of the ABA products (see p. 71) relieves the joints when walking — a blessing for anyone who struggles with joint pain from time to time.



Pictogram overview



PLANK



WIDE PLANK



LONG & WIDE PLANK



TILE



XL-TILE



HERRINGBONE



4V GROOVE



BEVELLED EDGE



INCL. INTEGRATED UNDERLAY



MATT FINISH



SUPER-MATT FINISH



SYNCHRONOUS EMBOSSING



UTILISATION CLASS



LOC-CLICK



INNOVATION-CLICK



FOLD DOWN



BONDING

You can find more detailed explanations of our pictograms on page 123.



THE NEXT GENERATION

Vinyl floors of the CHECK one series have a harder carrier board, which makes the click connections more stable. As a result, they can also be laid in places where conventional vinyl flooring could soften due to heat, for example by floor-to-ceiling windows or in residential conservatories.* It is no longer necessary to acclimatise the material to the room climate before installation.


CHECK one floors are also very hard-wearing and are therefore suitable not only for private use, but also for use in the commercial and industrial sector (e.g. UC 42, Premium Collection).

The click connection makes laying the floor easier and guarantees good surface properties. In addition to the visually accomplished planks, wide planks and tiles of the Basic and Standard Collection, the Premium Collection in particular provides a highlight with its decors, which are available both as wide plank and in Herringbone format.

But CHECK is not only impressive in terms of functionality and design, but also with regard to healthy living. The carrier boards from CHECK one are mineral-based and therefore plasticizer-free. All round health benefits from the clever flooring.

STRUCTURE SPC CLICK VINYL FLOOR

UV-coating with wear layer Design layer SPC-carrier board









· Selected floors incl. integrated underlay



 suitable for hot water underfloor heating *

CHECK one | BASIC COLLECTION

PLANK INCL. INTEGRATED UNDERLAY

The vinyl planks of the *Basic Collection* are the ideal floor covering for renovations and refurbishments. In addition to their low structural height, they combine the elastic

and water-resistant properties of a vinyl floor. The integrated impact sound insulation also facilitates installation and reduces walking noise.









DIMENSIONS: 1220 x 180 mm **THICKNESS:** 4.5 mm











2451 Heek Oak Skirting: 8058-L 228 mm Accessories colour: Silver grey 1220 mm 2452 Groden Oak Skirting: 2002-L Accessories colour: Silver grey

CHECK one I BASIC COLLECTION WIDE PLANK INCL. INTEGRATED UNDERLAY

The wide planks of the *Basic Collection* ensure a generous spatial effect and are ideally suited for self-directed renovations. The low installation

height of the floor together with the integrated impact sound underlay makes installation easier and ensures a quiet room climate.









DIMENSIONS: 1220 x 228 mm **THICKNESS:** 4.5 mm





19 dB impact sound reduction 2454 Marga Oak

Skirting: 8155-L | Accessories colour: Oak

CHECK one | STANDARD COLLECTION PLANK

The vinyl floors of the *Standard Collection* are available as CHECK one for clicking and mostly as CHECK expert for gluing. Both variants are robust and allow heavy com-

mercial use (utilisation class 33). They are equipped with a 4-sided bevel, which gives the plank a natural look.



























CHECK one | STANDARD COLLECTION PLANK INCL. INTEGRATED UNDERLAY

tion are also available with integrated impact sound insulation, which makes the floor all-round bevel ensures a natural appearance. particularly quiet and comfortable to walk

The vinyl planks of the Standard Collec- on. In addition, they are extremely easy to clean and hard-wearing. The four-sided













DIMENSIONS: 1220 x 182 mm THICKNESS: 5.0 mm







OUR TIP:
First look at
your furniture,
what suits me
and my
furnishings?



Whether you just want to spruce something up quickly or get the whole flat a new floor - there's something for everyone here.

Anne Kandel, Business Development Management

2467 Lohe Oak

Skirting: 8155-L Accessories colour: Oak

2466 Wickrath Oak

CHECK one | STANDARD COLLECTION **WIDE PLANK**

The CHECK one wide planks of the Standard Collection are convincing due to their format. In addition, the decor and the matt, authentic surface of the vinyl are shown to their best advantage on the wide planks and make the floor look even more natural. The all-round,

lacquered 4V groove additionally emphasises each individual plank and visually enlarges the space. Thanks to the simple and stable click system as well as a utilisation class of 34, the floor is prepared for any everyday situation.












DIMENSIONS: 1220 x 229 mm THICKNESS: 4.0 mm







CHECK one I STANDARD COLLECTION WIDE PLANK INCL. INTEGRATED UNDERLAY

Wide planks of the Standard Collection are also available with integrated impact sound insulation. The integrated underlay mat improves room acoustics and walking comfort. The special dimension looks par-

ticularly chic and inviting. In addition, the decor and surface are shown off to their best advantage thanks to the structure. The high-quality look is rounded off by a circumferential 4V groove.









DIMENSIONS: 1220 x 228 mm THICKNESS: 5.0 mm







CHECK one

STANDARD COLLECTION

TILE

For a long time, tiles in bathrooms and kitchens were the standard. But with vinyl floors, new possibilities arise. In contrast to ceramic tiles, vinyl is not only more cost-effective, but also easier on the joints, warmer on the feet and is suitable for laying on hot water underfloor heating. The vinyl tiles with an authentic concrete and travertine design as well as a surrounding, real 4V groove, fit perfectly into all living rooms and bedrooms and are also suitable for the kitchen and bathroom.










DIMENSIONS: 610 x 305 mm **THICKNESS:** 4.0 mm















DIMENSION: 620 x 310 mm **THICKNESS:** 4.0 mm













DIMENSION: 610 x 305 mm **THICKNESS:** 4.0 mm



CHECK one | STANDARD COLLECTION TILE INCL. INTEGRATED UNDERLAY

The click vinyl tiles are also available with practical impact sound underlay. The floors are available in 620 x 310 mm format and impress with a super matt finish and deceptively real stone look. The surface is very hard-wearing and can withstand everyday wear and tear. The all-round 4V groove emphasises the character of each individual tile. Thanks to the integrated impact sound underlay, walking noise is additionally reduced.













DIMENSIONS: 620 x 310 mm | **THICKNESS:** 5.0 mm







CHECK one | STANDARD COLLECTION

XL-TILE INCL. INTEGRATED UNDERLAY

integrated impact sound underlay. The tiles impress with the super mat finish and real stone look as well as real 4V groove. This means they fit perfectly into everyone

The XL format vinyl tiles are available with spatiality. With a usage class of 33 they are ideal for people who are under heavy strain rooms in residential and commercial areas.












DIMENSIONS: 830 x 470 mm | **THICKNESS:** 5,0 mm













CHECK one I PREMIUM COLLECTION

WIDE PLANK

A floor has to endure a lot, that's why it should be as durable as possible and meet a wide range of demands. The vinyl planks in wide plank format are therefore available

as CHECK one and CHECK expert in the *Premium Collection* and are suitable for medium industrial use. Visually, the wide planks impress with their 4-sided bevel.









DIMENSIONS: 1220 x 227 mm **THICKNESS**: 4.0 mm







CHECK one | PREMIUM COLLECTION | WIDE PLANK INCL. INTEGRATED UNDERLAY

Vinyl floors in wide plank format are also available in the *Premium Collection* with integrated impact sound underlay. The floors are particularly quiet with an impact sound reduction of 21 dB, so that no further insulation underlay is required. The matt and

extremely authentic design, combined with the textured surface, not only offers a great look, but also a realistic feel, which makes the floor the main focus of every room. In addition, all wide planks are also available as an identical decor in Herringbone format.













CHECK one | PREMIUM COLLECTION | HERRINGBONE INCL. INTEGRATED UNDERLAY

The matt, authentic decors in wide plank format with natural bevel are also available as herringbone with integrated impact sound. The herringbone format, which dates back to 1900, proves to be a timeless classic due to its elegance. Because of the different arrangement of the planks, there are numerous

possibilities to design the room according to your own ideas. Smaller rooms can thus be optically enlarged, depending on the installation pattern. In rooms with plenty of daylight, the herringbone look radiates additional energy and harmony.















CHECK expert

Some decors of the CHECK one as well as the CHECK comfort series are also available for gluing. The phthalate-free Dryback floors from CHECK expert have the advantage that they are even more hard-wearing and resilient than a floating floor covering due to the full-surface glue-down installation. Thus, it is particularly suitable for heavily frequented or stressed areas. The floors are dimensionally stable and do not move. In the commercial sector, fixed adhesion is sometimes mandatory, and therefore CHECK expert is the perfect choice.

Adhesive bonding is also useful with regard to footfall and walking noise. The covering and the subfloor form a solid unit, which leads to a reduction in walking noise. CHECK expert is also suitable for underfloor heating, as the heat is conducted particularly well from the subfloor to the surface due to the full-surface bond.*

CHECK expert – the long-lasting option from the specialist, lasting enjoyment of a healthy living floor.







suitable for floor-toceiling windows and residential conservatories *



· suitable for damp rooms *



· easy to clean



extremely hard-wearing



· warm underfoot



very low construction height



 suitable for hot water underfloor heating *



· phthalate-free



Standard Collection from pg. 58 Premium Collection from pg. 60

CHECK expert | STANDARD COLLECTION PLANK

The CHECK expert vinyl planks of the *Standard Collection* are sound-absorbing, heat-insulating and easy to maintain. With

a utilisation class of 33, they are robust and resistant.







DIMENSIONS: 1227 x 187 mm **THICKNESS:** 2.0 mm







CHECK expert | PREMIUM COLLECTION WIDE PLANK

The wide planks of the *Premium Collection* impress with their high durability and are therefore ideally suited for heavily used rooms. The

wide plank format in combination with the 4-sided bevel makes for a special eye-catcher in any room.










DIMENSIONS: 1219 x 229 mm **THICKNESS:** 2.5 mm







CHECK expert | PREMIUM COLLECTION WIDE AND LONG PLANK

The extravagant format of the wide and long planks of the *Premium Collection*, give rooms depth and makes them appear larger. The exceptional format is further emphasised by

the all-round bevel. However, the planks are not only visually appealing, but also robust and can also be used in the commercial sector due to their high utilisation class.









DIMENSIONS: 1520 x 238 mm **THICKNESS:** 2.5 mm













CHECK expert | PREMIUM COLLECTION XL-TILE

The XL vinyl tiles are ideal in strong stressed living areas up to areas with industrial use (usage class 42). They are visually convin-

cing with their realistic stone look with allround chamfer.










DIMENSIONS: 914.40 x 457.20 mm **THICKNESS:** 2.5 mm









STYLISH. EXCLUSIVE. LONG-LASTING.

With **CHECK comfort** you get a floor to feel good, which is as powerful as it is stylish. An all-round exclusive product that delivers what it promises.

The SPC floors from the **CHECK comfort** range can withstand a lot. The hard core on a mineral basis achieves high stability and dimensional stability.

The ABA floors also offer the advantage that the stable SPC carrier board is enclosed by two LVT-layers. The ABA floors thus combine the advantages of a classic vinyl floor with those of an SPC floor – they are extremely robust and at the same time warm underfoot and therefore pleasant to walk on.

In addition, all **CHECK comfort** floors are equipped with an integrated, natural cork impact sound underlay, which reduces the walking noise and thus additionally ensures a soothing sense of space. In order to make the living space not only beautiful and comfortable, but also healthy, all collections have been awarded with the "TÜV PROFICERTproduct Interior Premium" trademark and promise the highest quality.

With CHECK comfort, you get a floor that offers the same performance and feel-good factor as on the first day, even after years of use. suitable for floor-to-ceiling windows and residential conservatories *



durable



floors incl. integrated cork impact sound underlay



easy to clean



warm underfoot



suitable for hot water underfloor heating *



auiet



15 YEAR GUARANTEE according to guarantee conditions

* according to manufacturer's approval



comfort

Wide plank SPC incl. integrated cork underlay

The robust SPC wide planks with a plank width of 225 mm give the impression of spaciousness. An all-round, elegant 4-sided beveled edge highlights and visually

emphasises each individual plank in the overall picture. The super matt finish-surface makes the wood look even more authentic.











DIMENSIONS: 1220 x 225 mm **THICKNESS:** 5.0 mm







comfort

Long & wide plank SPC incl. integrated cork underlay

The SPC long and wide plank from CHECK comfort is shown off to it's best advantage in large rooms. The exclusive format combined with the deceptively real wood look gives

your home an impressive, elegent character. The integrated cork insulation enhances the feeling of well-being by significantly reducing impact sound.











DIMENSIONS: 1522 x 225 mm **THICKNESS:** 5.0 mm





comfort_____Long & wide plank SPC









Wide plank ABA incl. integrated cork underlay

The CHECK comfort wide planks are the perfect floor covering for quiet treads who place a lot of value on appearance and high quality. Due to their surface structure, the floors look particularly authentic, since they run synchronously with the wood grain and

thus create a deceptively real wood look. The product structure ensures increased stability and insensitivity to climatic fluctuations. The already integrated impact sound insulation made of cork gives the floor additional warmth and reduces impact sound.











DIMENSIONS: 1220 x 229 mm **THICKNESS:** 6.5 mm









comfort

Long & wide plank ABA incl. integrated cork underlay

The ABA wide and long planks impress equally with their comfort as well as their elegant format and decor. The slightly beveled edges ensure a harmonious transition between the planks. The surface structure is both synchronously embossed as well as super matt and is in no way inferior to the real wood floor visually or haptically.

Thanks to the SPC carrier board and the two LVT-layers, the floor achieves the highest level of walking comfort, which also protects the joints. Paired with the integrated cork impact sound underlay, the floor has properties that even a real wood floor can not achieve.











UC 42

DIMENSIONS: 1522 x 225 mm | THICKNESS: 5.5 mm













15 YEAR GUARANTEE according to guarantee conditions

THE GREEN DESIGN FLOOR

THE DESIGN FLOOR, THAT IS CONSIDERATE OF OUR HEALTH AND THE ENVIRONMENT.

CHECK green is completely PVC-, pollutant- and plasticizer-free and therefore harmless to our health. The French VOC regulation with the A+ label confirms the highest indoor air quality. The antibacterial surface also inhibits bacterial growth and provides additional protection.

Its climate-neutral production in Germany also protects the environment. This is also confirmed by the eco-INSTITUT environmental seal and the "Blue Angel".















PLASTICIZERS-FREE



SUSTAINABLE



CHECK GREEN: A FLOOR THAT LOVES WATER.

CHECK green has an aqua-stop carrier board, which makes the floor more resistant to liquids without accepting damage. The design floor can thus be installed in bathrooms, kitchens, hallways and other rooms.

UV-COATING & WEAR LAYER

DESIGN

AQUA-STOP CARRIER BOARD

BALANCE LAYER

HEALTHY LIVINGWATER RESISTANT* ROBUST VERY HARD-WEARING **HEAT RESISTANT** LIGHTFAST **SUSTAINABLE ANTIBACTERIAL ANTISTATIC**

GREEN COLLECTION PLANK

The CHECK green design floors are extremely functional and hard-wearing. Its attractive decor is additionally emphasized by the 4V-groove. With a construction height of 6 mm,

the product group is particularly renovationfriendly and with a utilisation class of 32, it is even suitable for commercial use.









DIMENSIONS: 1288 x 195 mm **THICKNESS:** 6.0 mm





GREEN COLLECTION PLANK

The design floors of CHECK green are convincing as oak-look planks. The robust, lightfast floor with its design and all-round 4V- groovenot only ensures an attractive home, but above a The instance of the instance of the convenience of the c

above all guarantees long-lasting quality. The installation is quick and conjures up a healthy feel-good atmosphere in all rooms in no time.










DIMENSIONS: 1285 x 192 mm **THICKNESS:** 8.0 mm







GREEN COLLECTION TILE

The CHECK green tiles are shown off to their best advantage in open-plan living areas, as their format creates a harmonious appearance. You can choose from an authentic concrete and slate look with an all-round 4V-groove. This emphasises each individual tile and creates an elegant installation look.










DIMENSIONS: 635 x 327 mm **THICKNESS:** 8.0 mm
















VVORIDATION OF SPC & DRYBACK

VINYLFLOORING

NEW WORLDS IN THE AREA OF HEALTHY LIVING VINYL FLOORS

Welcome to a new World of possibilities with our "World of SPC" and "World of Dryback" portfolio, opening up new horizons in the field of vinyl flooring. "World of SPC" and "World of Dryback" put the world at your feet. "With love from Germany", the new portfolio offers a wide range of formats and designs fitted via click system and glued, all supplied with a 10-year guarantee.* The three

clearly defined collections of "Village", "Town" and "City" offer a wide range of possibilities from entry level to heavy usage. Each offers something different within classic, wide and tile formats. Timeless and modern decors with 4V-groove options and the innovation of structured surfaces make the "World of SPC" and "World of Dryback" portfolio perfect for all your requirements.

WORLD OF DRYBACK

The "World of Dryback" collection includes water-resistant glued floors, which combine perfectly with hot water underfloor heating systems as the heat is particularly well conducted from the subfloor to the surface thanks to the full surface-wide connection. Due to the strong bond, no additional underlay for impact noise is required to reduce walking noise In addition, there is nothing to prevent its use up to floor-toceiling windows, in residential conservatories, bathrooms and kitchens. Highly resistant and warm, Dryback floors bring such advantages as their low installation height, high load-bearing capacity and long service life as well as being phthalate-free, meaning, you can be safe in the knowledge you are protecting your home and the environment.

UV COATING WITH WEAR LAYER DESIGN MIDDLE LAYER MADE. OF VIRGIN VINYL

BACKING LAYER OF VIRGIN VINY

WORLD OF SPC

SPC CARRIER BOARD

The "World of SPC" floors, laid using the click system, have a plasticizer-free mineral base and rigid carrier board, which not only offers superb stability, but is also resistant to heat and moisture. These floors are therefore particularly suitable for residential areas subject to heavy use and can be laid up to floor-to-ceiling windows, in conservatories, bathrooms and kitchens. These SPC Vinyl floors are also ideal for renovation and refurbishment work, such as installation over existing sub-floors due to their rigid backing plate and low installation height.

ITH WEAR LAYER


ADVANTAGES "WORLD OF SPC"

- suitable for wet rooms, residential conservatories and floor-to-ceiling windows**
- very hard-wearing
- low construction height
- plasticizer-free carrier board
- increased stability of the click connection
- suitable for underfloor heating*

ADVANTAGES "WORLD OF DRYBACK"

- suitable for wet rooms, residential conservatories and floor-to-ceiling windows**
- extremely hard-wearing, resilient and durable
- very low construction height
- · very easy to clean
- warm to the feet
- noise-free
- phthalate-free
- suitable for underfloor heating*

VILLAGE COLLECTION



VILLAGE COLLECTION - PLANK

dimension: 1220 x 180 x 3.2 mm

panels/box: 14 panels

sqm/box: 3.074

kg/box: approx. 20.59

boxes/pallet: 43 sqm/pallet: 132.20

Recommended utilisation class for private/commercial use:





3598 TAMPA OAK EAN 4250055116461

click system: Loc-Click | wear layer: 0.2 mm



VILLAGE COLLECTION - PLANK

dimension: 1220 x 180 x 3.5 mm

panels/box: 12 panels
sqm/box: 2.635

kg/box: approx.18.83

boxes/pallet: 48 sqm/pallet: 126.49





3539 SURPRISE OAK
EAN 4250055111961
skirting: 2416-L | accessories colour: grey

click system: Loc-Click | wear layer: 0.2 mm



3540 GILBERT OAK EAN 4250055111978 skirting: 2036-L | accessories colour: maple



VILLAGE COLLECTION - PLANK INCL. INTEGRATED UNDERLAY

dimension: 1220 x 182 x 4.5 mm

planks/box: 10 panels sqm/box: 2.220 kg/box: approx.15.76 boxes/pallet: 48 sqm/pallet: 106.579 Impact sound underlay



Recommended utilisation class for private/commercial use:





3566 SEWARD OAK
EAN 4250055115860
skirting: 8127-L I accessories colour: silvergrey



3567 FERNDALE OAK
EAN 4250055115792
skirting: 2416-L | accessories colour: grey



3568 GALENA OAK
EAN 4250055115808
skirting: 2002-L | accessories colour: silvergrey

VILLAGE COLLECTION — PLANK INCL. INTEGRATED CORK-UNDERLAY

dimension: 1220 x 180 x 4.5 mm

planks/box: 12 panels sqm/box: 2.635

kg/box: approx.19.93

boxes/pallet: 40 sqm/pallet: 105.41

cork impact sound underlay



Recommended utilisation class for private/commercial use:





3565 MANCOS OAK EAN 4250055115877 skirting: 3523-L I accessories colour: oak




3569 SELIGMAN OAK
EAN 4250055115815
skirting: 8131-L | accessories colour: walnut



3570 LEAVENWORTH OAK
EAN 4250055115822
skirting: 2002-L | accessories colour: grey





TOWN COLLECTION - PLANK

dimension: 1220 x 180 x 4 mm

planks/box: 10 panels sqm/box: 2.196 kg/box: approx. 17.77

boxes/pallet: 48 sqm/pallet: 105.41

bevelled edge



Recommended utilisation class for private/commercial use:





3504 SAN ANTONIO OAK
EAN 4250055109814
skirting: 3504-L | accessories colour: maple



3505 SAN DIEGO OAK
EAN 4250055109821
skirting: 6501-L | accessories colour: maple

TOWN COLLECTION_ TOWN COLLECTION

TOWN COLLECTION - WIDE PLANK SPC

dimension: 1220 x 229 x 4 mm | planks/box: 8 panels sqm/box: 2.235 | kg/box: approx.17.88 | boxes/pallet: 48

sqm/pallet: 107.28

TOWN COLLECTION – WIDE PLANK DRYBACK

dimension: 1219 x 229 x 2.0 mm | planks/box: 12 panels sqm/box: 4.181 | kg/box: approx. 15.47 | boxes/pallet: 48

sqm/pallet: 200.67







Recommended utilisation class for private/ commercial use:





wide plank



TOWN COLLECTION – WIDE PLANK

dimension: 1220 x 225 x 4 mm

planks/box: 10 panels sqm/box: 2.196 kg/box: approx.17.77 boxes/pallet: 48

sqm/pallet: 105.41



4V groove wide plank



Recommended utilisation class for private/commercial use:





AKRON OAK

3535 EAN 4250055110810 (CLICK) 3535E EAN 4250055116362 (BONDING) skirting: 2045-L I accessories colour: maple



AMARILLO OAK

3536 EAN 4250055110827 (CLICK) 3536E EAN 4250055116379 (BONDING) skirting: 2075-L I accessories colour: maple



3507 SAN JOSE OAK EAN 4250055109845

skirting: 3507-L I accessories colour: maple



3508 AUSTIN OAK EAN 4250055109852 skirting: 8161-L | accessories colour: oak



3537 EAN 4250055110834 (CLICK) EAN 4250055116386 (BONDING) skirting: 3073-L I accessories colour: maple



ALLEN OAK

3541 EAN 4250055119165 (CLICK)

skirting: 8155-L | accessories colou: oak

TOWN COLLECTION_ TOWN COLLECTION

TOWN COLLECTION - TILE

dimension: 610 x 305 x 4 mm

planks/box: 10 panels sqm/box: 1.861

kg/box: approx.15.06

boxes/pallet: 64 sqm/pallet: 119.072







Recommended utilisation class for private/commercial use:





3511 INDIANAPOLIS SLATE EAN 4250055109883 skirting: 3511-L l accessories colour: black

click system: Loc-Click | wear layer: 0.3 mm



3512 SEATTLE CONCRETE EAN 4250055109890 skirting: 3512-L I accessories colour: grey



TOWN COLLECTION - TILE INCL. INTERATED UNDERLAY

dimension: 620 x 310 x 5 mm

planks/box: 10 panels sqm/box: 1.922

kg/box: approx.16.61 boxes/pallet: 60

sqm/pallet: 115.320









Recommended utilisation class for private/commercial use:






3579 BOLDER MARBLE EAN 4250055115839 skirting: 2124-L | accessories colour: silver grey click system: Loc-Click | wear layer: 0.3 mm



3580 NEW HEAVEN MARBLE EAN 4250055115853 akirting: 2869-L I accessories colour: black



TOWN COLLECTION ______TOWN COLLECTION

TOWN COLLECTION - XL-TILE

dimension: 830 x 470 x 4 mm

planks/box: 6 panels sqm/box: 2.341 kg/box: ca. 20.13 boxes/pallet: 48 sqm/pallet: 112.349







Recommended utilisation class for private/commercial use:






3578 FARGO MARBLE EAN 4250055115846 skirting: 2143-L | accessories colour: white



3601 OMAHA CONCRETE EAN 4250055117901




3602 WILTON CONCRETE EAN 4250055117918



click system: Loc-Click | wear layer: 0.3 mm

114 115



1x4 COLLECTION - WIDE PLANK SPC

4V groove

wide plank





dimension: 1220 x 228 x 4 mm | planks/box: 8 panels | sqm/box: 2.225

kg/box: approx.17.80 | boxes/pallet: 48 | sqm/pallet: 106.813

1x4 COLLECTION - WIDE PLANK DRYBACK

Recommended utilisation class for private/commercial use:

dimension: 1219 x 229 x 2.5 mm | planks/box: 16 panels | sqm/box: 4.466

kg/box: approx. 20.10 | boxes/pallet: 45 | sqm/pallet: 200.99





SAN FRANCISCO OAK

3524 EAN 4250055110582 (CLICK) 3524E EAN 4250055110629 (BONDING) skirting: 2987-L I accessories colour: maple



NEW ORLEANS OAK

3525 EAN 4250055110599 (CLICK) 3525E EAN 4250055110636 (BONDING) skirting: 3525-L I accessories colour: maple



ST. LOUIS OAK

3526 EAN 4250055110605 (CLICK) 3526E EAN 4250055110643 (BONDING) skirting: 2002-L I accessories colour: silver grey



SALT LAKE CITY OAK

3527 EAN 4250055110612 (CLICK) 3527E EAN 4250055110650 (BONDING) skirting: 3527-L I accessories colour: oak

1x4 COLLECTION – HERRINGBONE SPC

dimension: 550 x 110 x 4 mm \mid planks/box: 26 panels \mid sqm/box: 1.573

kg/box: approx.12.58 | boxes/pallet: 72 | sqm/pallet: 113.26

4V groove

herringbone





Recommended utilisation class for private/commercial use:





dimension: 600 x 120 x 2.5 mm | planks/box: 48 panels | sqm/box: 3.456

kg/box: approx.15.55 | boxes/pallet: 60 | sqm/pallet: 207.36



SAN FRANCISCO OAK

3524H EAN 4250055110667 (CLICK) 3524HE EAN 4250055110704 (BONDING)

skirting: 2987-L l accessories colour: maple



NEW ORLEANS OAK

 3525H
 EAN 4250055110674 (CLICK)

 3525HE
 EAN 4250055110711 (BONDING)

 skirting: 3525-L I accessories colour: maple



ST. LOUIS OAK

3526H EAN 4250055110681 (CLICK) 3526HE EAN 4250055110728 (BONDING) skirting: 2002-L | accessories colour: silver grey



SALT LAKE CITY OAK

3527H EAN 4250055110698 (CLICK) 3527HE EAN 4250055110735 (BONDING) skirting: 3527-L I accessories colour: oak



The collections at a glance

		FORMAT	IMPACT SOUND UNDERLAY	JOINT Pattern	SURFACE	USEAGE CLASS	INSTALLATION
CHECK	BASIC COLLECTION	Plank	✓	-	structure- embossed	31	Loc-Click
		Wide plank	✓	-	structure- embossed	32	Loc-Click
	STANDARD COLLECTION	Plank	-	bevelled edge	structure- embossed	33	Loc-Click
		Plank	✓	bevelled edge	structure- embossed	33	Loc-Click
		Wide plank	_	4V groove	structure- embossed	34	Innovation- Click
		Wide plank	✓	4V groove	structure- embossed	34	Loc-Click
ONE		Tile	-	4V groove	structure- embossed	33	Innovation- Click
		Tile	✓	4V groove	super matt- finish	33	Loc-Click
		XL-tile	✓	4V groove	super matt- finish	33	Loc-Click
	PREMIUM COLLECTION	Wide plank	-	bevelled edge	structure- embossed	42	Loc-Click
		Wide plank	✓	bevelled edge	structure- embossed	42	Innovation- Click
		Herringbone	✓	bevelled edge	structure- embossed	42	Innovation- Click
CHECK EXPERT	STANDARD COLLECTION	Plank	_	-	structure- embossed	33	Bonding
	PREMIUM COLLECTION	Wide plank	_	bevelled edge	structure- embossed	42	Bonding
		Long & wide plank	_	bevelled edge	structure- embossed	42	Bonding
		XL-tile	-	bevelled edge	structure- embossed	42	Bonding
CHECK COMFORT	COMFORT COLLECTION	Wide plank SPC	✓	bevelled edge	structure- embossed	42	Innovation- Click
		Long & wide plank SPC	✓	bevelled edge	structure- embossed	42	Innovation- Click
		Wide plank ABA	✓	bevelled edge	synchronous embossed	42	Loc-Click
		Long & wide plank ABA	✓	bevelled edge	synchronous embossed	42	Innovation- Click
CHECK GREEN	GREEN COLLECTION	Plank 6 mm	_	4V groove	structure- embossed	32	One-Click
		Plank 8 mm	-	4V groove	structure- embossed	33	One-Click
		Tile	_	4V groove	structure- embossed	33	One-Click

		FORMAT	IMPACT SOUND UNDERLAY	JOINT Pattern	SURFACE	USEAGE CLASS	INSTALLATION
World of SPC World of DRYBACK BY CHECK	VILLAGE COLLECTION	Plank	_	4-	structure- embossed	31	Loc-Click
		Plank	✓	_	structure- embossed	31	Loc-Click
	TOWN COLLECTION	Plank	_	bevelled edge	structure- embossed	32	Loc-Click
		Wide plank	-	bevelled edge	structure- embossed	32	Innovation- Click
		Wide plank	-	bevelled edge	structure- embossed	33	Bonding
		Wide plank	-	4V groove	structure- embossed	32	Loc-Click
		Tile	-	4V groove	structure- embossed	32	Loc-Click
		Tile	- V	4V groove	structure- embossed	32	Loc-Click
		XL-tile	-	4V groove	structure- embossed	32	Loc-Click
	1X4 COLLECTION	Wide plank	_	4V groove	structure- embossed	41	Loc-Click
		Wide plank	-	4V groove	structure- embossed	41	Bonding
		Herringbone	-	4V groove	structure- embossed	41	Push- Click
		Herringbone	-	4V groove	structure- embossed	41	Bonding



Order **free samples** of our CHECK products online now at **check-floors.com**!

120



CHECK installation options



LOC-CLICK

With the Loc-Click connection, row by row is clicked into the previous one on the long side. This is done by angling the long side under slight pressure until it clicks into place.

The row is then connected to the previous one.



With this click connection, a row is first created over the entire width of the room by clicking together at the front. The next row is clicked into the groove profiling of the previous row on the long edge. To lock, the plank is angled downwards and snapped in with pressure from above until an audible click is heard.



With this click system, each board can be laid individually. The long side is angled, then the panel is lowered and the overlapping end faces are connected by tapping with

a rubber hammer, so that the surface is level. The click connection is a particularly stable connection because, contrary to other "drop-down"connections, it is not only inserted or pressed in, but locked in three positions in the tongue and groove and hammered into place.



BONDING

Using this technique, the floor is glued over the entire surface using an adhesive. The individual planks are glued to the walls without tension and without joints. With regard to adhesive processing, the adhesive manufacturer's specifications and instructions must be observed.



The click connections are ideally suited for floating installation on their own.

Detailed installation instructions can be found on the back of each box, at **check-floors.com** or as videos on our YouTube channel.

Formats & joint pattern

FORMATS

Our floors are available in different formats, with six variants to choose from: plank, wide plank, long & wide plank, herringbone, tile and XL-tile format.














GROOVES & BEVELLS



longthways and transversely around the individual plank, making each plank strikingly visible.



BEVELLED EDGE I A bevel is understood to mean the slight chamfering of an edge. With a 4-sided bevel, each individual plank is slightly

accentuated visually.

WITHOUT GROOVES I Planks without grooves show no gaps, resulting in a calm, harmonious appearance.



Special features



INCL. UNDERLAY I The decor is already equipped with impact sound insulation on the underside of the carrier and thus enables quick

installation.



SYNCHRONEOUS EMBOSSING I The surface of the decor can be really felt due to the embossing along the wood grain shown and is

matched to the decor image. This visually emphasises the surface of the decor.



MATT I The matt surface gives the decor a natural and real look and makes it appear even more real.



SUPER MATT I The natural-looking supermatt surface creates a particularly modern, authentic and exclusive room atmosphere.

UTILISATION CLASSES (UC)

	PRIVATE USE	COMMERCIAL USE	INDUSTRIAL USE
LIGHT			
MEDIUM			
STRONG			
EXTRA STRONG			

124



»EQUIPPED«

For a perfect finish

So that the pleasure of your new floor lasts, it is of great importance to choose the right accessories. The brand **EQUIPPED** offers a wide range of impact sound underlays, skirtings, clip systems and corners.

The impact sound range includes four different insulation underlays for vinyl floors, which are available in thicknesses

of 1.0 mm and 1.2 mm. There is also a skirting board for every CHECK floor that matches the decor or is white (paintable) and offers the option of concealing a cable behind it. Rounded off by end caps on projections or door frames as well as connectors and inner corners, the range offers everything needed to complete the installation.

available in the following colours:

Maple Beech Oak Grey

Walnut Silver Black White Grey

FOURPY

FOU

All corners, connectors and end caps are

VARIOUS WHITE SKIRTING



0032 Quarter stick Length 2,500 mm EAN 4250055101740



Skirting white 40 mm Length 2,600 mm EAN 4250055116300



Skirting white 40 mm Length 2,400 mm EAN 4250055101740



0027 Skirting white 58 mm Length 2,400 mm EAN 4250055101405

2935 Gloss skirting white 58 mm Length 2,400 mm EAN 4250055100163



Skirting white 58 mm Length 2,400 mm EAN 4250055116317

In addition to the matching decorative **EQUIPPED** skirtings in 58 mm height and 2,400 mm length, there are other white skirtings in the following formats:


WEIMARER SKIRTINGS



Weimarer skirting 40 mm Length 2.500 mm EAN 4250055116331



Weimarer skirting 50 mm Length 2.500 mm EAN 4250055116348



Weimarer skirting 58 mm Lenath 2.400 mm EAN 4250055116324




0039 Weimarer skirting 70 mm Length 2.500 mm EAN 4250055116355



0030 Weimarer skirting 80 mm Length 2.500 mm EAN 4250055101726



BERLINER SKIRTINGS




0040 Berliner skirting 58 mm Length 2,400 mm EAN 4250055116447



Berliner skirting 70 mm Length 2,500 mm EAN 4250055101719



Berliner skirting 78 mm Length 2,400 mm EAN 4250055116454



0031 Berliner skirting 90 mm Length 2,500 mm EAN 4250055101733



We ensure that your new floor and the right accessories arrive on time for installation.

Gerd Buhs, Logistic Manager

IMPACT SOUND UNDERLAYS FOR VINYL & DESIGN FLOORS





1016	1012
SOFT SOUND	PRO SOUND

		3011 300110	rnu 300ND
	EAN	4250055108466	4250055105366
Product	Strength	1.20 mm	1.00 mm
	Content	1 x 15 m = 15 sqm	1.18 x 8.5 m = 10.03 sqm
	Surface weight	0.15 kg/sqm	0.19 kg/sqm
	Material	Polyester fibre fleece	XPS / PET
	Area of application	Click-vinyl floors / Design floors	Click-vinyl floors / Design floors
	Delivery form	Roll	Folding panel
	Pallet size	40 rolls = 600 sqm	42 pack = 421.26 sqm
Acoustics	Impact sound reduction (IS)	18 dB	15 dB
	Walking sound insulation (RWS)	-	-
Use	Pressure stress (CS)	400 kPa	400 kPa
	Dynamic load (DL)	-	> 400,000 cycles
	Fire behaviour (RTF)	Efl	Efl
Sub floor	Thermal resistance (R)	0.024 sqm K/W	0.03 sqm K/W
	Compensation capability (PC)	> 0.50 mm	0.80 mm
	Moisture protection (SD)	-	> 75 m





1009 V-SOUND

1020 V-PREMIUM SOUND

¥ 000ND	V I ILLINIONI GOGILD
4250055104338	4250055112715
1.00 mm	1.00 mm
1 x 12.5 m = 12.5 sqm	1 x 10 m = 10 sqm
0.23 kg/sqm	1.20 kg/sqm
Polyolefin (PO)	Polyurethane (PU) / fleece
Click-vinyl floors / Design floors	Click-vinyl floors / Design floors
Roll	Roll
64 rolls = 800 sqm	54 rolls = 540 sqm
18 dB	Up to 15 dB
40 %	up to 12 %
490 kPa	> 750 kPa
> 250,000 cycles	> 3,000,000 cycles
Efl	Efl
0.02 sqm K/W	0.01 sqm K/W
≥ 0.50 mm	≈ 0.20 mm
> 75 m	-





check-floors.com



VERSION 3/2023

Our team is here for you.

Send us your requirements and we will solve them.

Our logistics and sales network can handle almost any task.

CHECK is a brand of:

Koczwara Vertriebs-GmbH | Scheuten-Solar-Straße 2 | 45881 Gelsenkirchen | GERMANY check-floors.com

Errors and modifications excepted. The colour representation of the decors in this brochure may differ from the original decors.

© Image sources including Koczwara, Adobe Stock